

Safety Data Sheet

## Section 1. Identification

Product Name: SilproPaver™ Sand Beige Effective Date: 31 May 2015 Manufacturer Name: Silpro, LLC Address: 2 New England Way


Ayer, MA 01432-1514

Replaces: 11 February 2009

Ayer, MA 01432-1514 24/7 EMERGENCY PHONE: INFOTRAC 800-535-5053 Call collect internationally 352-323-3500 24/7 HEALTH EMERGENCIES: 800-222-1222 National Poison Control Center.

## Section 2. Hazard(s) Identification

**Emergency overview:** Beige solid or powder with a little odour. SilproPaver<sup>™</sup> Sand Beige may cause eye damage and skin irritation. Inhalation may cause respiratory irritation and ingestion may cause gastric distress.



CARCINOGENICITY: Crystalline silica is a carcinogen.



## Section 3. Composition/Information on Ingredients

Ingredients		-		
Component	CAS #	EINECS #	Percent	REACH Reg. #
Crystalline silica	14808-60-7	238-878-4	>60	No
Portland Cement	65997-15-1	266-043-4	>5	No
Proprietary non-hazardous	Prop.	Prop.	>1	No

## Section 4. First Aid Measures

**Eye Contact:** Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

**Skin Contact:** Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse. If irritation persists, contact a physician.

**Inhalation:** Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

**Ingestion:** If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

## **Section 5. Fire Fighting Measures**

Flash Point: Not combustible.

Flammability Limits: NE.

Fire Fighting Media: Use dry chemical and carbon dioxide.

**Special Fire Fighting Procedures:** First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE).

#### Section 6. Accidental Release Measures

#### Use personal protective equipment, see section 8.

**Clean-up Procedures:** Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use shovel to pick up absorbent for disposal. **Spills and Leaks:** Dispose in accordance to local, state or federal regulations.

## Section 7. Handling and Storage

Handling: Do not get into eyes, on skin and on clothing. Do not breathe dusts or mists. Wash thoroughly after handling. Do not freeze. Keep out of sunlight.

Storage: Store in original labeled container. Keep in cool and dry areas.

## Section 8. Exposure Controls/Personal Protection

Introductory Remarks: Consider the potential hazards of this product outlined in section 2. Use process exposures

such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits. Ingredient OSHA PEL

Portland cement	5 mg/m³
Crystalline silica	10 mg/m <sup>3</sup>

#### **Personal Protection:**

**Eyes:** Wear safety goggles or safety glasses to prevent eye contact.

Body: Long sleeve shirts, long pants, socks, rubber boots and chemical-resistant gloves.

Hands: Neoprene chemical-resistant gloves.

**Respiratory:** Wear an approved respirator that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

Other: None.

## **Section 9. Physical and Chemical Properties**

Odour/Colour	Beige solid or powder/Slight odour	Solubility	Slight in water
	porraoli, oligini ododi		

## Section 10. Stability and Reactivity

Chemical Stability: Considered stable under normal ambient temperatures.

Hazardous Decomposition: If complete combustion, oxides of silicate are formed.

# SILPRO

## SilproPaver<sup>™</sup> Sand Beige

## Hazardous Polymerization: Will not occur

Safety Data Sheet

Incompatibility - Materials to Avoid: Strong oxidizing agents and strong acids.

## Section 11. Toxicological Information

The product is not toxic.

Acute Eye Irritation: Severe eye damage.

Acute Skin Irritation: May be irritating.

Acute Dermal Toxicity: Not expected to be toxic through the skin.

Acute Inhalation Toxicity: Not determined, expected to be an irritant to the respiratory system.

Carcinogenic Effects: Crystalline silica.

## Section 12. Ecological Information

Ecotoxicity: The toxicity of this product has not been determined.

Environmental Fate: This product's environmental fate has not been determined.

## Section 13. Disposal Considerations

Waste Disposal Method: Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations

**Container Handling and Disposal:** All containers should be disposed of according to local, state and Federal regulations.

## Section 14. Transport Information

Ground Classification: Not regulated by US DOT. Shipping Name: SilproPaver™ Sand Beige IATA or IMO: Not regulated.

Section	15.	Regulatory	Information
---------	-----	------------	-------------

EPCRA 311/312 Categories: Immediate (Acute) Health Effects: Delayed (Chronic) Health Effects: Fire Hazard: Sudden Release of Pressure Reactivity:

Yes Yes No No No

European Community Pictogram:

WHMIS: Xi (Irritant to the eyes and skin).

Right to know classification: Crystalline silica in the United States.

TSCA: None of the ingredients are listed.

Reportable Quantity (RQ): None.

## Prop. 65: Crystalline silica.

Crystalline silica is listed in chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK.

Abbreviations	
---------------	--

CAS #	Chemical Abstract Service Number	EINECS European Inventory of existing	
		Commercial Chemical Sales	Commer
°C	Celsius temperature scale	°F Fahrenheit temperature scale	°F
Prop.	Proprietary	PE Personal Protective Equipment	PE
TLV	Threshold Limit Value	TWA Time Weighted Average	TWA
STEL	Short-term Exposure Limit	PEL Permissible Exposure Limit	PEL
OSHA	Occupational Safety & Health	NIOSH National Institute of Safety & Health	NIOSH
NFPA	National Fire Protection Agency	WHMIS Workplace Hazardous Materials Information	WHMIS
		System	System
NTP	National Toxicology Program	IARC Int. Agency for Research on Cancer	IARC
RCRA	Resource Conservation Recovery Act	TSCA Toxic Substance Control Act	TSCA
$EC_{50}$	Effective Dose	LC <sub>50</sub> Lethal Inhalation Concentration	$LC_{50}$
$LD_{50}$	Lethal Dose	CAS Chemical Abstract Service Number	CAS
LEL	Lower explosive limit	UEP Upper explosive limit	UEP
NDA	No Data Available	ND Not determined	ND
NTP RCRA EC <sub>50</sub> LD <sub>50</sub> LEL	National Toxicology Program Resource Conservation Recovery Act Effective Dose Lethal Dose Lower explosive limit	SystemIARCInt. Agency for Research on CancerTSCAToxic Substance Control ActLC50Lethal Inhalation ConcentrationCASChemical Abstract Service NumberUEPUpper explosive limit	System IARC TSCA LC <sub>50</sub> CAS UEP



## Safety Data Sheet

SilproPaver™	Sand	Beige
	Janu	Deige

NE <u>≤</u> CNS	None established Less Than or Equal To Central Nervous System	CI	Not Applicable er Than or Equal To China		
DSL	Canada	ECL	Korean Existing Chemicals List		
EEC	European Economic Commission	ENCS	Japanese Existing and New Chemical List		
EU	European Union	MAC	Netherlands		
MAK	Germany	MITI	Japan		
PICCS	Philippines	SWISS	Giftliste 1		
UK	United Kingdom	USA	United States		
VOC	Volatile organic content				
ACGIH	American Conference of Government Indu	strial Hyg	gienists		
SARA	Superfund Amendments and Reauthorizat	ion Act			
AICS	Australian Inventory of Chemical Substance	ces			
IARC	International Agency for Research on Cancer				
Taiwan	List of Toxic Chemical Substances regulat	ed under	Taiwan Toxic Chemical Substances		
	Control Act of 1086				

## Section 16. Other Information

## Hazardous Material Information (HMIS)

## National Fire Protection Association (NFPA)

	Health	1	1	Health	
	Fire	0	0	Fire	
	Reactivity	0	0	Instability	
	Personal Protection	Е		NA	
Health	4 Deadly 3 Extreme	e Danger 2	Dangerous	1 Slight hazard 0 I	No hazard
Fire	4 < 73 °C 3 < 100 °C	C 2 < 200°	°C 1 >200	C 0 Will not burn	
Reactivity/Instability	4 – May detonate 3	Explosive 2	Unstable 1	Normally stable 0	) Stable

Prepared by: Dennis E. Belau

Reviewed by: Regulatory department

Disclaimer:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Silpro, LLC (company) knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.