Printing date 03/20/2019

Reviewed on 03/20/2019

1 Identification

- · Product identifier
- Trade name: <u>SILPRO PSA</u>
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: SILPRO LLC 2 New England Way Ayer,MA 01432
- Emergency telephone number: CHEMTREC USA +1 (800) 424-9300 & INTERNATIONAL +1 (703) 527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2

H351 Suspected of causing cancer.

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling: ethyl acrylate
- 1,2-benzisothiazol-3(2H)-one
- Hazard statements May cause an allergic skin reaction. Suspected of causing cancer.
- · Precautionary statements
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Contaminated work clothing must not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If on skin: Wash with plenty of water.
- IF exposed or concerned: Get medical advice/attention.
- Specific treatment (see on this label).
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.
- Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: SILPRO PSA



1.69%

Classification system:
 NFPA ratings (scale 0 - 4)

000

Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTHImage: Constraint of the sectorHealth = 0FIREImage: Constraint of the sectorFire = 0Reactivity [Image: Constraint of the sectorReactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

140-88-5 ethyl acrylate

4 First-aid measures

· Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

(Contd. on page 3)

Reviewed on 03/20/2019

Trade name: SILPRO PSA

Printing date 03/20/2019

(Contd. of page 2)

6 Acciden	tal release measures	
 Environme Dilute with Do not allo Methods a Absorb with Dispose co Ensure ade Reference See Sectio See Sectio See Sectio 	precautions, protective equipment and emergency procedures Not require ental precautions: plenty of water. w to enter sewers/ surface or ground water. Ind material for containment and cleaning up: In liquid-binding material (sand, diatomite, acid binders, universal binders, sawd Intaminated material as waste according to item 13. equate ventilation. to other sections In 7 for information on safe handling. In 8 for information on personal protection equipment. In 13 for disposal information. Action Criteria for Chemicals	
PAC-1:		
140-88-5	ethyl acrylate	8.3 ppm
1336-21-6	ammonia	61 ppm
57-13-6	urea	30 mg/m ³
PAC-2:		
140-88-5	ethyl acrylate	36 ppm
1336-21-6	ammonia	330 ppm
57-13-6	urea	280 mg/m ³
PAC-3:		
140-88-5	ethyl acrylate	240 ppm
1336-21-6	ammonia	2,300 ppm
57-13-6	urea	1,700 mg/m³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US

Page 4/9

Safety Data Sheet acc. to OSHA HCS

Printing date 03/20/2019

· Odor threshold:

Reviewed on 03/20/2019

Trade name: SILPRO PSA

· Control parameters	(Contd. of page 3)
-	that require monitoring at the workplace:
140-88-5 ethyl acrylate	
PEL Long-term value: 100 mg/n	n³, 25 ppm
Skin	·· , FF
REL See Pocket Guide App. A	
TLV Short-term value: 61 mg/m	³ , 15 ppm
Long-term value: 20 mg/m ³	
Additional information: The lis	ts that were valid during the creation were used as basis.
· Exposure controls	
· Personal protective equipmen	t:
General protective and hygien	ic measures:
Keep away from foodstuffs, beve	
Immediately remove all soiled ar Wash hands before breaks and	
Store protective clothing separat	
· Breathing equipment:	Giy.
In case of brief exposure or low	<i>w</i> pollution use respiratory filter device. In case of intensive or longer
	tive device that is independent of circulating air.
 Protection of hands: 	
μ.	
Protective gloves	
The glove material has to be imr	permeable and resistant to the product/ the substance/ the preparation.
	nmendation to the glove material can be given for the product/ the
preparation/ the chemical mixtur	e.
	on consideration of the penetration times, rates of diffusion and the
degradation	
 Material of gloves The selection of the suitable glo 	wes does not only depend on the material, but also on further marks of
	acturer to manufacturer. As the product is a preparation of several
	e glove material can not be calculated in advance and has therefore to
be checked prior to the application	
• Penetration time of glove mate	
to be observed.	as to be found out by the manufacturer of the protective gloves and has
• Eye protection: Goggles recom	mended durina refillina.
, , , , , , , , , ,	
9 Physical and chemical pr	roperties
Information on basic physical	and chemical properties
· General Information	
· Appearance:	
Form:	Fluid
Color:	According to product specification
· Odor:	Characteristic

Not determined.

US

(Contd. on page 5)

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: SILPRO PSA

	(Contd. of page 4
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
[·] Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Water: VOC content: 	25.8 % 0.00 %
· Other information	0.0 g/l / 0.00 lb/gal No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: SILPRO PSA

(Contd. of page 5)

· LD/LC50 \	icity: /alues tha	t are relevant for classification:
ATE (Acu	te Toxicity	y Estimate)
Oral	LD50	47,337 mg/kg (rat)
Dermal	LD50	108,521 mg/kg (rabbit)
Inhalative	LC50/4 h	128,994 mg/l (rat)
140-88-5 e	ethyl acryl	ate
Oral	LD50	800 mg/kg (rat)
Dermal	LD50	1,834 mg/kg (rabbit)
Inhalative	LC50/4 h	2,180 mg/l (rat)
• Additiona The produ preparatio Irritant	I toxicolo uct shows ns:	itization possible through skin contact. gical information: the following dangers according to internally approved calculation methods t
Carcinoge		
•		Agency for Research on Cancer)
140-88-51	ethyl acryl	
	onal Tovi	cology Program)
· NTP (Nati		nts is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

US

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: SILPRO PSA

· Other adverse effects No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
UN-Number		
DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	κ II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· TSCA (To	kic Substances Control Act):
9003-04-7	2-propenoic acid, homopolymer, sodium salt
140-88-5	ethyl acrylate
1336-21-6	ammonia
57-13-6	urea
2634-33-5	1,2-benzisothiazol-3(2H)-one
7732-18-5	water, distilled, conductivity or of similar purity
· Propositio	on 65
· Chemicals	s known to cause cancer:
140-88-5	ethyl acrylate
	(Contd. on page 8)

- US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: SILPRO PSA

	(Contd. of p	ba
Chemica	s known to cause reproductive toxicity for females:	
None of t	ne ingredients is listed.	
Chemica	s known to cause reproductive toxicity for males:	
None of t	ne ingredients is listed.	
Chemica	s known to cause developmental toxicity:	
	ne ingredients is listed.	
	enic categories	
-	rironmental Protection Agency)	
57-13-6 I		
-	eshold Limit Value established by ACGIH)	_
	ethyl acrylate	
	a (National Institute for Occupational Safety and Health)	
	ethyl acrylate	
The produ	I elements ict is classified and labeled according to the Globally Harmonized System (GHS). ictograms	
GHS07 Signal w	GHS08 ord Warning	
-	etermining components of labeling:	
ethyl acry		
	sothiazol-3(2H)-one	
	atements	
	e an allergic skin reaction.	
	d of causing cancer. onary statements	
	ecial instructions before use.	
	ndle until all safety precautions have been read and understood.	
	athing dust/fume/gas/mist/vapors/spray	
	ated work clothing must not be allowed out of the workplace.	
	tective gloves/protective clothing/eye protection/face protection.	
	Wash with plenty of water.	
	d or concerned: Get medical advice/attention.	
	reatment (see on this label).	
	ation or rash occurs: Get medical advice/attention.	
	Itaminated clothing before reuse.	
Store lock	f contents/container in accordance with local/regional/national/international regulations	
Store lock Dispose o	f contents/container in accordance with local/regional/national/international regulations. safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department

(Contd. on page 9)

US

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: SILPRO PSA

(Contact: Technical Director Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DS0: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitisation – Category 1 Care. 2: Carringenicity – Category 1 Care. 2: Carringenicity – Category 1	
Carc. 2: Carcinogenicity – Category 2	