# Safety Data Sheet



Replaces: 31 May 2015

## **FASTCRETE®**

#### Section 1. Identification

Product Name: FASTCRETE®
Effective Date: 12 October, 2023
Manufacturer Name: Silpro LL

Manufacturer Name: Silpro, LLC

Address: 2 New England Way

Ayer, MA 01432-1514

24/7 EMERGENCY PHONE: INFOTRAC 800-535-5053 Call collect internationally 352-323-3500

24/7 HEALTH EMERGENCIES: 800-222-1222 National Poison Control Center.

**REFER TO ID# 84653.** 

# Section 2. Hazard(s) Identification

**Emergency overview:** Gray solid or powder with a little odor. FASTCRETE® may cause eye damage and skin irritation. Inhalation may cause respiratory irritation and ingestion may cause gastric distress.

**GHS Pictograms:** 

GHS Signal Word: WARNING POTENTIAL HEALTH EFFECTS: CODE OF HAZARD STATEMENTS:

Physical hazards

Dust.

Health Hazards

H302, Harmful if swallowed.

H313, May be harmful in contact with skin.

H315, Causes skin irritation.

H320, Causes eye irritation.

H333, May be harmful if inhaled.

H350, May cause cancer.

Environmental hazards

H402, Harmful to aquatic life.

## **CODE OF PRECAUTIONARY STATEMENTS:**

General

P101, Keep out of reach of children.

P103, Read label before use.

Prevention

P234, Keep only in original container.

P261, Avoid breathing dust.

P262 Do not get in eyes, on skin or on clothing.

P264, Wash thoroughly after handling.

P270, Do not eat, drink or smoke when using this product.

P280, Wear protective gloves/protective clothing/eye protection/face protection.

Response

P312, Call a POISON CENTER or doctor/physician if you feel unwell.

P331, DO NOT induce vomiting.

P340, Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352, Wash with plenty of soap and water.

P362, Take off contaminated clothing and wash before reuse.

Storage

P402, Store in a dry place.

P403, Store in a well-ventilated area.

ROUTES OF ENTRY: Eye contact, skin adsorption, ingestion and inhalation.

**CARCINOGENICITY:** Crystalline silica and lithium carbonate are a developmental carcinogen.



# Section 3. Composition/Information on Ingredients

| Ingredients                   |            | _         |         |              |
|-------------------------------|------------|-----------|---------|--------------|
| Component                     | CAS#       | EINECS #  | Percent | REACH Reg. # |
| Silica, fused                 | 60676-86-0 | 262-373-8 | >60     | No           |
| Tri-calcium silicate          | 12168-85-3 | NE        | >10     | No           |
| Crystalline silica            | 14808-60-7 | 238-878-4 | >10     | No           |
| Fused calcium aluminate       | 65997-16-2 | 266-045-5 | >10     | No           |
| Di-calcium silicate           | 10034-77-2 | 235-336-9 | >1      | No           |
| Tetra-calcium alumino-ferrite | 12068-35-8 | 235-094-4 | >1      | No           |
| Calcium sulfate hexahydrate   | 26499-65-0 | 238-879-4 | >1      | No           |
| Lithium carbonate             | 544-13-2   | 209-062-5 | >1      | No           |
| Tri-calcium aluminate         | 12042-78-3 | 234-932-6 | >0.1    | No           |
| Calcium sulfate               | 7778-18-9  | 231-900-3 | >0.1    | Yes          |
| Magnesium silicate            | 14807-60-7 | 238-878-4 | >0.1    | No           |

## **Section 4. First Aid Measures**

**Eye Contact:** Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

**Skin Contact:** Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse. If irritation persists, contact a physician.

**Inhalation:** Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

**Ingestion:** If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

#### **Section 5. Fire Fighting Measures**

Flash Point: Not combustible. Flammability Limits: NE.

Fire Fighting Media: Use dry chemical and carbon dioxide.

Special Fire Fighting Procedures: First responders need to wear full-bunker gear with SCBA, never enter a

confined space unless fully protected with proper personal protective equipment (PPE).

## **Section 6. Accidental Release Measures**

Use personal protective equipment, see section 8.

**Clean-up Procedures:** Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use shovel to pick up absorbent for disposal.

**Spills and Leaks:** Dispose in accordance to local, state or federal regulations.

#### Section 7. Handling and Storage

**Handling:** Do not get into eyes, on skin and on clothing. Do not breathe dusts or mists. Wash thoroughly after handling. Do not freeze. Keep out of sunlight.

Storage: Store in original labeled container. Keep in cool and dry areas.

## **Section 8. Exposure Controls/Personal Protection**

**Introductory Remarks:** Consider the potential hazards of this product outlined in section 2. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

Ingredient **OSHA PEL** Silica, fused  $0.1 \text{ mg/m}^{3}$ Di-calcium silicate  $5 \text{ mg/m}^3$ Tri-calcium aluminate 10 mg.m<sup>3</sup> Tetra-calcium-alumino-ferrite 10 ma/m<sup>3</sup> Tri-calcium silicate 15 ma/m<sup>3</sup> Magnesium oxide 15 ma/m<sup>3</sup> Crystalline silica 10 mg/m<sup>3</sup> 15 mg/m<sup>3</sup> Calcium sulfate Magnesium silicate  $2 \text{ mg/m}^3$ 



# Safety Data Sheet

**FASTCRETE®** 

#### **Personal Protection:**

Eyes: Wear safety goggles or safety glasses to prevent eye contact.

Body: Long sleeve shirts, long pants, socks, rubber boots and chemical-resistant gloves.

Hands: Neoprene chemical-resistant gloves.

Respiratory: Wear an approved respirator that provides protection from this product if the airborne concentrations

exceed the recommended exposure limits.

#### **Section 9. Physical and Chemical Properties**

| Color/Odor | Gray solid or powder/Slight odor | Melting point              | 3110°F (1710°C)     |
|------------|----------------------------------|----------------------------|---------------------|
| Solubility | Slight in water                  | Specific gravity (water=1) | >2.75 @ 68°F (20°C) |

# Section 10. Stability and Reactivity

Chemical Stability: Considered stable under normal ambient temperatures.

Hazardous Decomposition: If complete combustion, oxides of carbon and silicate are formed.

Hazardous Polymerization: Will not occur

Incompatibility - Materials to Avoid: Strong oxidizing agents and strong acids.

## **Section 11. Toxicological Information**

The product is not toxic.

**Acute Eye Irritation**: Severe eye damage. **Acute Skin Irritation**: May be irritating.

Acute Dermal Toxicity: Not expected to be toxic through the skin.

Acute Inhalation Toxicity: Not determined, expected to be an irritant to the respiratory system.

Carcinogenic Effects: Crystalline silica and lithium carbonate.

## Section 12. Ecological Information

**Ecotoxicity:** The toxicity of this product has not been determined.

Environmental Fate: This product's environmental fate has not been determined.

## **Section 13. Disposal Considerations**

Waste Disposal Method: Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations

Container Handling and Disposal: All containers should be disposed of according to local, state and Federal regulations.

## **Section 14. Transport Information**

Ground Classification: Not regulated by US DOT.

Shipping Name: FASCRETE® IATA or IMO: Not regulated.

# Section 15. Regulatory Information

EPCRA 311/312 Categories: Immediate (Acute) Health Effects: Yes

Delayed (Chronic) Health Effects: Yes
Fire Hazard: No
Sudden Release of Pressure No
Reactivity: No

Right to know classification: Crystalline silica in MA, NJ and PA.

**TSCA:** All the ingredients are listed on the active TSCA list except calcium sulfate hexahydrate, lithium carbonate and magnesium silicate.

Reportable Quantity (RQ): None.

Prop. 65: Lithium carbonate and crystalline silica are developmental carcinogens.

WARNING: This product can expose you to lithium carbonate and crystalline silica, chemicals known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov/

All ingredients are listed in chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK.

Page 3 of 4 October 12, 2023

# SILPRO

# Safety Data Sheet

**FASTCRETE®** 

#### **Abbreviations:**

| CAS#             | Chemical Abstract Service Number   | EINECS European Inventory of existing   |   |  |  |
|------------------|--|---|---|--|--|
|                  |  | Commercial Chemical Sales   |   |  |  |
| °C               | Celsius temperature scale  | ٥F  | Fahrenheit temperature scale              |  |  |
| Prop.            | Proprietary  | PE  | Personal Protective Equipment             |  |  |
| TLV              | Threshold Limit Value  | TWA   | A Time Weighted Average                   |  |  |
| STEL             | Short-term Exposure Limit  | PEL   | Permissible Exposure Limit                |  |  |
| OSHA             | Occupational Safety & Health   | NIOSH   | National Institute of Safety & Health     |  |  |
| NFPA             | National Fire Protection Agency  | WHMIS   | Workplace Hazardous Materials Information |  |  |
|                  |  | System  |   |  |  |
| NTP              | National Toxicology Program  | IARC  | Int. Agency for Research on Cancer        |  |  |
| RCRA             | Resource Conservation Recovery Act   | TSCA  | Toxic Substance Control Act               |  |  |
| EC <sub>50</sub> | Effective Dose   | LC <sub>50</sub>  | Lethal Inhalation Concentration           |  |  |
| $LD_{50}$        | Lethal Dose  | CAS   | Chemical Abstract Service Number          |  |  |
| LEL              | Lower explosive limit  | UEP   | Upper explosive limit                     |  |  |
| NDA              | No Data Available  | ND  | Not determined                            |  |  |
| NE               | None established   | NA  | Not Applicable                            |  |  |
| ≤<br>CNS         | Less Than or Equal To  | Second |   |  |  |
|                  | Central Nervous System   | CI  | China                                     |  |  |
| DSL              | Canada   | ECL   | Korean Existing Chemicals List            |  |  |
| EEC              | European Economic Commission   | ENCS  | Japanese Existing and New Chemical List   |  |  |
| EU               | European Union   | MAC   | Netherlands                               |  |  |
| MAK              | Germany  | MITI Japan  |   |  |  |
| PICCS            | Philippines  | SWISS   | Giftliste 1                               |  |  |
| UK               | United Kingdom   | USA   | United States                             |  |  |
| VOC              | Volatile organic content   |   |   |  |  |
| ACGIH            | American Conference of Government Industrial Hygienists                            |   |   |  |  |
| SARA             | Superfund Amendments and Reauthorization Act                                       |   |   |  |  |
| AICS             | Australian Inventory of Chemical Substances  |   |   |  |  |
| IARC             | International Agency for Research on Cancer  |   |   |  |  |
| Taiwan           | List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances |   |   |  |  |
|                  | Control Act of 1086  |   |   |  |  |

## **Section 16. Other Information**

## **Hazardous Material Information (HMIS)**

#### **National Fire Protection Association (NFPA)**

| Health              | 1 | 1 | Health      |
|---------------------|---|---|-------------|
| Fire                | 0 | 0 | Fire        |
| Reactivity          | 0 | 0 | Instability |
| Personal Protection | Е |   | NA          |

Health 4 Deadly 3 Extreme Danger 2 Dangerous 1 Slight hazard 0 No hazard

Fire 4 < 73 °C 3 < 100 °C 2 < 200 °C 1 > 200 °C 0 Will not burn

Reactivity/Instability 4 - May detonate 3 Explosive 2 Unstable 1 Normally stable 0 Stable

Prepared by: Dennis E. Belau Reviewed by: Regulatory department

## Disclaimer:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Silpro, LLC (company) knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.