

Safety Data Sheet


### Section 1. Identification

Product Name: Concrete Finish ™ Gray ®Effective Date: 2 November 2, 2023 Replaces: 31 May 2015 Manufacturer Name: Silpro, LLC Address: 2 New England Way Ayer, MA 01432-1514 24/7 EMERGENCY PHONE: INFOTRAC 800-535-5053 Call collect internationally 352-323-3500. Refer to ID# 84653.

24/7 HEALTH EMERGENCIES: 800-222-1222 National Poison Control Center.

## Section 2. Hazard(s) Identification

**Emergency overview:** Gray solid or powder with a little odor. Concrete Finish<sup>™</sup> Gray may cause eye damage and skin irritation. Inhalation may cause respiratory irritation and ingestion may cause gastric distress.





## Section 3. Composition/Information on Ingredients

Ingredients			
Component	CAS #	EINECS #	Percent
Calcium magnesium carbonate	16389-88-1	230-274-5	>30
Hydrated lime	39445-23-3	254-454-1	>10
Portland Cement	65997-15-1	266-043-4	>10
Nuisance dust	Prop.	Prop.	>5
Fused calcium aluminate	65997-16-2	266-045-5	>1
Calcium sulfate	7778-18-9	231-900-3	>0.1
Crystalline silica	14808-60-7	238-878-4	>0.1

### Section 4. First Aid Measures

**Eye Contact:** Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

**Skin Contact:** Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse. If irritation persists, contact a physician.

**Inhalation:** Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

**Ingestion:** If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

#### Section 5. Fire Fighting Measures

Flash Point: Not combustible.

Flammability Limits: NE.

Fire Fighting Media: Use dry chemical and carbon dioxide.

**Special Fire Fighting Procedures:** First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE).

### Section 6. Accidental Release Measures

Use personal protective equipment, see section 8.

**Clean-up Procedures:** Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use shovel to pick up absorbent for disposal. **Spills and Leaks:** Dispose in accordance to local, state or federal regulations.

#### Section 7. Handling and Storage

**Handling:** Do not get into eyes, on skin and on clothing. Do not breathe dusts or mists. Wash thoroughly after handling. Do not freeze. Keep out of sunlight.

Storage: Store in original labeled container. Keep in cool and dry areas.

## Section 8. Exposure Controls/Personal Protection

**Introductory Remarks:** Consider the potential hazards of this product outlined in section 2. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

OSHA PEL
15 mg/m³
15 mg/m³
5 mg/m³
10 mg/m <sup>3</sup>
15 mg/m <sup>3</sup>
5 mg/m <sup>3</sup>

#### Personal Protection:

Eyes: Wear safety goggles or safety glasses to prevent eye contact.

Body: Long sleeve shirts, long pants, socks, rubber boots and chemical-resistant gloves.

Hands: Neoprene chemical-resistant gloves.

**Respiratory:** Wear an approved respirator that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.



### **Section 9. Physical and Chemical Properties**

Odor/Color	Gray solid or powder/Slight odor	Melting point	3110°F (1710°C)
Solubility	Slight in water	Specific gravity (water=1)	>2 @ 68°F (20°C)

#### Section 10. Stability and Reactivity

Chemical Stability: Considered stable under normal ambient temperatures.

Hazardous Decomposition: If complete combustion, oxides of carbon and silicate are formed.

Hazardous Polymerization: Will not occur

Incompatibility - Materials to Avoid: Strong oxidizing agents and strong acids.

### Section 11. Toxicological Information

The product is not toxic.

Acute Eye Irritation: Severe eye damage.

Acute Skin Irritation: May be irritating.

Acute Dermal Toxicity: Not expected to be toxic through the skin.

Acute Inhalation Toxicity: Not determined, expected to be an irritant to the respiratory system.

Carcinogenic Effects: Crystalline silica.

### Section 12. Ecological Information

**Ecotoxicity:** The toxicity of this product has not been determined.

Environmental Fate: This product's environmental fate has not been determined.

#### Section 13. Disposal Considerations

Waste Disposal Method: Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations

**Container Handling and Disposal:** All containers should be disposed of according to local, state and Federal regulations.

#### Section 14. Transport Information

Ground Classification: Not regulated by US DOT. Shipping Name: Concrete Finish™ Gray IATA or IMO: Not regulated.

### Section 15. Regulatory Information

EPCRA 311/312 Categories:	Immediate (Acute) Health Effects:	Yes
	Delayed (Chronic) Health Effects:	Yes
	Fire Hazard:	No
	Sudden Release of Pressure	No
	Reactivity:	No
Dight to know alocalitization	Crystalling siling in the United States	

Right to know classification: Crystalline silica in the United States.

**TSCA:** All of the ingredients are listed on TSCA active list.

Prop. 65: Crystalline silica.

All ingredients are listed in chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK.

#### Abbreviations:

CAS #	Chemical Abstract Service Number	EINECS	European Inventory of existing
		Commer	cial Chemical Sales
°C	Celsius temperature scale	٥F	Fahrenheit temperature scale
Prop.	Proprietary	PE	Personal Protective Equipment
TLV	Threshold Limit Value	TWA	Time Weighted Average
STEL	Short-term Exposure Limit	PEL	Permissible Exposure Limit
OSHA	Occupational Safety & Health	NIOSH	National Institute of Safety & Health
NFPA	National Fire Protection Agency	WHMIS	Workplace Hazardous Materials Information
		System	



# Safety Data Sheet

Concrete Finish<sup>™</sup> Gray

NTP RCRA EC50 LD50 LEL NDA NE ≤ CNS DSL EEC EU MAK PICCS UK VOC ACGIH SARA AICS IARC	0,	CI ECL ENCS MAC MITI SWISS USA ustrial Hystion Act ces ncer	United States gienists	
	International Agency for Research on Cancer List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances			
raiwan	Control Act of 1086			

### Section 16. Other Information

### Hazardous Material Information (HMIS)

#### National Fire Protection Association (NFPA)

	Health	1	1	Health	
	Fire	0	0	Fire	
	Reactivity	0	0	Instability	
	Personal Protection	E		NA	
Health	4 Deadly 3 Extreme	e Danger 2	Dangerous	1 Slight hazard 0 N	No hazard
Fire	4 < 73 °C 3 < 100 °C	C 2 < 200 °	C 1 >200 °	C 0 Will not burn	

Reactivity/Instability 4 - May detonate 3 Explosive 2 Unstable 1 Normally stable 0 Stable

Prepared by: Dennis E. Belau

Reviewed by: Regulatory department

Disclaimer:

١

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Silpro, LLC (company) knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.