

EASY PLUG® 60 Seconds

#### Section 1. Identification

Product Name: Easy Plug® 60 Seconds

Effective Date: 21 July 2023 Replaces: 31 May 2015

Manufacturer Name: Silpro, LLC

Address: 2 New England Way

Ayer, MA 01432-1514

24/7 EMERGENCY PHONE: INFOTRAC 800-535-5053 Call collect internationally 352-323-3500

24/7 HEALTH EMERGENCIES: 800-222-1222 National Poison Control Center.

**REFER TO ID#84653** 

#### Section 2. Hazard(s) Identification

**Emergency overview:** Gray solid or powder with a little odor. Easy Plug® Seconds may cause eye damage and skin irritation. Inhalation may cause respiratory irritation and ingestion may cause gastric distress.

**GHS Pictograms:** 

GHS Signal Word: WARNING POTENTIAL HEALTH EFFECTS: CODE OF HAZARD STATEMENTS:

Physical hazards

None.

Health Hazards

Harmful if swallowed.

May be harmful in contact with skin.

Causes skin irritation.

Causes eye irritation.

May be harmful if inhaled.

May cause cancer.

Environmental hazards

Harmful to aquatic life.

# **CODE OF PRECAUTIONARY STATEMENTS:**

General

Keep out of reach of children.

Read label before use.

Prevention

Keep only in original container.

Avoid breathing dust.

Do not get in eyes, on skin or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Response

Call a POISON CENTER or doctor/physician if you feel unwell.

DO NOT induce vomiting.

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse.

Storage

Store in a dry place.

Store in a well-ventilated area.

ROUTES OF ENTRY: Eye contact, skin adsorption, ingestion and inhalation.

**CARCINOGENICITY:** Crystalline silica.

### EASY PLUG® 60 Seconds

### Section 3. Composition/Information on Ingredients

Ingredients						
Component	CAS#	EINECS #	Percent	REACH Reg. #		
Crystalline silica	14808-60-7	238-878-4	>46	No		
Portland cement	65997-15-1	266-043-4	>18	No		
Proprietary A (Cement)	Prop.	Prop.	>29	Yes		
Hydrated lime	1305-62-0	215-137-3	>3	Yes		

#### Section 4. First Aid Measures

**Eye Contact:** Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

**Skin Contact:** Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse. If irritation persists, contact a physician.

**Inhalation:** Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

**Ingestion:** If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

#### **Section 5. Fire Fighting Measures**

Flash Point: Not combustible.

Fire Fighting Media: Use dry chemical and carbon dioxide.

Special Fire Fighting Procedures: First responders need to wear full-bunker gear with SCBA, never enter a

confined space unless fully protected with proper personal protective equipment (PPE).

#### **Section 6. Accidental Release Measures**

Use personal protective equipment, see section 8.

Clean-up Procedures: Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use shovel to pick up absorbent for disposal.

Spills and Leaks: Dispose in accordance to local, state or federal regulations.

### Section 7. Handling and Storage

Handling: Do not get into eyes, on skin and on clothing. Do not breathe dusts or mists. Wash thoroughly after

handling. Do not freeze. Keep out of sunlight.

Storage: Store in original labeled container. Keep in cool and dry areas.

## **Section 8. Exposure Controls/Personal Protection**

**Introductory Remarks:** Consider the potential hazards of this product outlined in section 2. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

IngredientOSHA PELCrystalline Silica5 mg/m³Portland cement5 mg/m³Proprietary A5 mg/m³Hydrated lime15 mg/m³

**Personal Protection:** 

Eyes: Wear safety goggles or safety glasses to prevent eye contact.

Body: Long sleeve shirts, long pants, socks, rubber boots and chemical-resistant gloves.

Hands: Neoprene chemical-resistant gloves.

**Respiratory:** Wear an approved respirator that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.



### EASY PLUG® 60 Seconds

### **Section 9. Physical and Chemical Properties**

Odor/Color	Gray solid or powder/Slight odor	Melting point	3110°F (1710°C)
Solubility	Slight in water	Specific gravity (water=1)	>2.75 @ 68°F (20°C)

#### Section 10. Stability and Reactivity

chemical Stability: Considered stable under normal ambient temperatures.

Hazardous Decomposition: If complete combustion, oxides of carbon and silicate are formed.

Hazardous Polymerization: Will not occur

Incompatibility - Materials to Avoid: Strong oxidizing agents and strong acids.

### **Section 11. Toxicological Information**

The product is not toxic.

**Acute Eye Irritation**: Severe eye damage. **Acute Skin Irritation**: May be irritating.

Acute Dermal Toxicity: Not expected to be toxic through the skin.

Acute Inhalation Toxicity: Not determined, expected to be an irritant to the respiratory system.

Carcinogenic Effects: Crystalline silica.

#### Section 12. Ecological Information

**Ecotoxicity:** The toxicity of this product has not been determined.

Environmental Fate: This product's environmental fate has not been determined.

#### Section 13. Disposal Considerations

Waste Disposal Method: Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations

**Container Handling and Disposal:** All containers should be disposed of according to local, state and Federal regulations.

## **Section 14. Transport Information**

**Ground Classification:** Not regulated by US DOT.

Shipping Name: Easy Plug® 60 Seconds

IATA or IMO: Not regulated.

#### **Section 15. Regulatory Information**

EPCRA 311/312 Categories: Immediate (Acute) Health Effects: Yes

Delayed (Chronic) Health Effects: Yes
Fire Hazard: No
Sudden Release of Pressure No
Reactivity: No

**TSCA:** All of the ingredients are listed on the active TSCA list.

Reportable Quantity (RQ): None.

Prop. 65: Crystaline silica.

All ingredients are listed in chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK.

#### Abbreviations:

CAS # Chemical Abstract Service Number EINECS European Inventory of existing

Commercial Chemical Sales

°C Celsius temperature scale
Prop. Proprietary

°F Fahrenheit temperature scale
PE Personal Protective Equipment



## EASY PLUG® 60 Seconds

TLV	Threshold Limit Value	TWA	Time Weighted Average	
STEL	Short-term Exposure Limit	PEL	Permissible Exposure Limit	
OSHA	Occupational Safety & Health	NIOSH	•	
NFPA	National Fire Protection Agency	WHMIS	Workplace Hazardous Materials Information	
	3,	System	, , , , , , , , , , , , , , , , , , , ,	
NTP	National Toxicology Program	IARC	Int. Agency for Research on Cancer	
RCRA	Resource Conservation Recovery Act	TSCA	Toxic Substance Control Act	
EC <sub>50</sub>	Effective Dose	$LC_{50}$	Lethal Inhalation Concentration	
LD <sub>50</sub>	Lethal Dose	CAS	Chemical Abstract Service Number	
LEL	Lower explosive limit	UEP	Upper explosive limit	
NDA	No Data Available	ND	Not determined	
NE	None established	NA	Not Applicable	
<u>&lt;</u>	Less Than or Equal To	Second	er Than or Equal To	
CNS	Central Nervous System	CI	China	
DSL	Canada	ECL	Korean Existing Chemicals List	
EEC	European Economic Commission	<b>ENCS</b>	Japanese Existing and New Chemical List	
EU	European Union	MAC	Netherlands	
MAK	Germany	MITI	Japan	
PICCS	Philippines	SWISS	Giftliste 1	
UK	United Kingdom	USA	United States	
VOC	Volatile organic content			
ACGIH	American Conference of Government Industrial Hygienists			
SARA	Superfund Amendments and Reauthorization Act			
AICS	Australian Inventory of Chemical Substances			
IARC	International Agency for Research on Cancer			

## **Section 16. Other Information**

Taiwan

### **Hazardous Material Information (HMIS)**

Control Act of 1086

## **National Fire Protection Association (NFPA)**

Health	1	1	Health
Fire	0	0	Fire
Reactivity	0	0	Instability
Personal Protection	E		NA

Health 4 Deadly 3 Extreme Danger 2 Dangerous 1 Slight hazard 0 No hazard

List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances

Fire 4 < 73 °C 3 < 100 °C 2 < 200 °C 1 > 200 °C 0 Will not burn

Reactivity/Instability 4 – May detonate 3 Explosive 2 Unstable 1 Normally stable 0 Stable

Prepared by: Dennis E. Belau Reviewed by: Regulatory department

#### Disclaimer:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Silpro, LLC (company) knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.