

SilproRapid™

Safety Data Sheet

 Product Name: SilproRapid
 Replaces: 8 July 2013

 ®Effective Date: 31 May 2015
 Replaces: 8 July 2013

 Manufacturer Name:
 Silpro, LLC

 Address:
 2 New England Way

 Ayer, MA 01432-1514
 Aver, MA 01432-1514


 24/7 EMERGENCY PHONE: INFOTRAC 800-535-5053 Call collect internationally 352-323-3500.

 Refer to ID# 846543.

24/7 HEALTH EMERGENCIES: 800-222-1222 National Poison Control Center.

## Section 2. Hazard(s) Identification

**Emergency overview:** Gray solid or powder with a little odor. SilproRapid<sup>™</sup> may cause eye damage and skin irritation. Inhalation may cause respiratory irritation and ingestion may cause gastric distress.





# Section 3. Composition/Information on Ingredients

Ingredients			
Component	CAS #	EINECS #	Percent
Crystalline silica	14808-60-7	238-878-4	>30
Portland cement	65997-15-1	266-043-4	>10
Aluminum sulfate	10043-01-3	233-135-0	>10
Calcium oxide	1305-78-8	215-138-9	>1
Iron (III) oxide	1309-37-1	215-168-2	>5
Aluminum oxide, non-fibrous	1344-28-1	215-69-6	>1
Slag cement	65996-69-2	266-002-0	>1

# Section 4. Firs Aid Measures

**Eye Contact:** Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

**Skin Contact:** Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse. If irritation persists, contact a physician.

**Inhalation:** Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

**Ingestion:** If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

## **Section 5. Fire Fighting Measures**

Flash Point: Not combustible.

Flammability Limits: NE.

Fire Fighting Media: Use dry chemical and carbon dioxide.

**Special Fire Fighting Procedures:** First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE).

## Section 6. Accidental Release Measures

Use personal protective equipment, see section 8.

**Clean-up Procedures:** Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use shovel to pick up absorbent for disposal. **Spills and Leaks:** Dispose in accordance to local, state or federal regulations.

## Section 7. Handling and Storage

Handling: Do not get into eyes, on skin and on clothing. Do not breathe dusts or mists. Wash thoroughly after handling. Do not freeze. Keep out of sunlight.

Storage: Store in original labeled container. Keep in cool and dry areas.

# Section 8. Exposure Controls/Personal Protection

**Introductory Remarks:** Consider the potential hazards of this product outlined in section 2. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

Ingredient	OSHA PEL
Crystalline silica	10 mg/m <sup>3</sup>
Portland cement	5 mg/m³
Calcium oxide	2 mg/m <sup>3</sup>
Aluminum sulfate	5 mg/m <sup>3</sup>
Iron (III) oxide	15 mg/m <sup>3</sup>
Aluminum oxide, non-fibrous	10 mg/m <sup>3</sup>

### **Personal Protection:**

Eyes: Wear safety goggles or safety glasses to prevent eye contact.

Body: Long sleeve shirts, long pants, socks, rubber boots and chemical-resistant gloves.

Hands: Neoprene chemical-resistant gloves.

**Respiratory:** Wear an approved respirator that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.



### Section 9. Physical and Chemical Properties

Odour/Colour	Gray solid or powder/Slight odour	Specific gravity (water=1)	>2
Solubility	Soluble in water		)

### Section 10. Stability and Reactivity

Chemical Stability: Considered stable under normal ambient temperatures.

Hazardous Decomposition: If complete combustion, oxides of carbon and silicate are formed.

### Hazardous Polymerization: Will not occur

Incompatibility - Materials to Avoid: Strong oxidizing agents and strong acids.

### Section 11. Toxicological Information

#### The product is not toxic.

Acute Eye Irritation: Severe eye damage.

Acute Skin Irritation: May be irritating.

Acute Dermal Toxicity: Not expected to be toxic through the skin.

Acute Inhalation Toxicity: Not determined, expected to be an irritant to the respiratory system.

Carcinogenic Effects: Crystalline silica.

## Section 12. Ecological Information

**Ecotoxicity:** The toxicity of this product has not been determined.

Environmental Fate: This product's environmental fate has not been determined.

### Section 13. Disposal Considerations

Waste Disposal Method: Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations

**Container Handling and Disposal:** All containers should be disposed of according to local, state and Federal regulations.

### Section 14. Transport Information

Ground Classification: Not regulated by US DOT. Shipping Name: SilproRapid<sup>™</sup> IATA or IMO: Not regulated.

## Section 15. Regulatory Information

EPCRA 311/312 Categories:	Immediate (Acute) Health Effects:	Yes
	Delayed (Chronic) Health Effects:	Yes
	Fire Hazard:	No
	Sudden Release of Pressure	No
	Reactivity:	No
Disht to know closelfiertion.	Converte III a cilica in the Linited Ctetes	

**Right to know classification:** Crystalline silica in the United States.

**TSCA:** All of the ingredients are listed on the TSCA active list except iron(III) oxide. **Prop. 65**: Crystalline silica.

All ingredients are listed in chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK.

### Abbreviations:

CAS #	Chemical Abstract Service Number	EINECS European Inventory of existing		
		Commercial Chemical Sales		
°C	Celsius temperature scale	•F Fahrenheit temperature scale		
Prop.	Proprietary	PE Personal Protective Equipment		
TLV	Threshold Limit Value	TWA Time Weighted Average		
STEL	Short-term Exposure Limit	PEL Permissible Exposure Limit		
OSHA	Occupational Safety & Health	NIOSH National Institute of Safety & Health		
NFPA	National Fire Protection Agency	WHMIS Workplace Hazardous Materials Information		
		System		



# Safety Data Sheet

## Section 16. Other Information

## Hazardous Material Information (HMIS)

## National Fire Protection Association (NFPA)

SilproRapid™

	Health	1	1	Health	
	Fire	0	0	Fire	
	Reactivity	0	0	Instability	
	Personal Protection	Е		NA	
Health	4 Deadly 3 Extreme Danger 2 Dangerous 1 Slight hazard 0 No hazard				
Fire	4 < 73 °C 3 < 100 °C	C 2 < 200°	C 1 >200 °	C 0 Will not burn	

Fir Reactivity/Instability 4 - May detonate 3 Explosive 2 Unstable 1 Normally stable 0 Stable

Prepared by: Dennis E. Belau

Reviewed by: Regulatory department

Disclaimer:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Silpro, LLC (company) knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.